A RANDOMIZED, CONTROLLED STUDY TO EVALUATE THE SHORT TERM EXPOSURE TO SMOKE CONSTITUENTS OF AN ELECTRICALLY HEATED CIGARETTE SMOKING SYSTEM WITH MENTHOL IN ADULT SMOKERS DURING CONTROLLED SMOKING

Philip Morris USA Project No. EHCJLI/03/02
PAREXEL Project No. PHMOR-51299
MDS Pharma Services Project No. AA01190
MDS Pharma Services Protocol No. 466-05

Sponsor:

Philip Morris USA
P.O. Box 26583
Richmond, Virginia 23261-6583

Hans-Juergen Roethig, MD, PhD, FCP, FFPM
Director Clinical Evaluation
Worldwide Scientific Affairs
Philip Morris USA Research Center
615 Maury Street
Richmond, VA 23224
Phone: (804) 274-3165
Cellular: (804) 687-1655
FAX: (804) 274-2891

8/5/02

(Signature) (Date)

Research Study Site:

PAREXEL International
Baltimore Clinical Pharmacology Research Unit
Harbor Hospital Center, 7th Floor
3001 South Hanover Street
Baltimore, MD 21225
Phone: 410-350-7979
Fax: 410-354-4281

Principal Investigator:

Thomas C. Stock, D.O.
PAREXEL International
Baltimore Clinical Pharmacology Research Unit
Harbor Hospital Center, 7th Floor
3001 South Hanover Street
Baltimore, MD 21225
Phone: 410-350-7979
Fax: 410-354-4281

(Signature) (Date)

Date: 5 August, 2002

******FINAL PROTOCOL******

PM3006787715

Source: https://www.industrydocuments.ucsf.edu/docs/plmx0001